

SPECIFICATIONS

SPECIFICATION	ONS					
	2.4 GD-6 RB MT	2.4 GD-6 RB AT	2.4 GD-6 4X4 AT	2.8 GD-6 RB AT	2.8 GD-6 4X4 AT	2.8 GD-6 RB VX AT
Engine and Drivetrain						
Maximum Power (kW @ r/min)	110@3400	110 @ 3400	110 @ 3400	150 @ 3000-3400	150 @ 3000-3400	150 @ 3000-3400
Maximum Torque (Nm @ r/min)	400 @ 1600-2000	400 @ 1600-2000	400 @ 1600-2000	500 @ 1600-2800	500 @ 1600-2800	500 @ 1600-2800
Differential Lock	•	•	•	•	•	•
Bore x Stroke (mm)	92.0 x 90.0	92.0 x 90.0	92.0 x 90.0	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6
Fuel System	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Fuel Consumption (Combined Cycle) (ℓ/100km)	6.8	7.2	7.6	7.6	7.9	7.6
CO ₂ Emission (g/km)	179	190	201	201	209	201
Transmission						
Transmission	6-Speed MT	6-Speed AT				
Driven Wheels Starting System	RWD Push Start	RWD Push Start	4WD / Part-Time Push Start	RWD Push Start	4WD / Part-Time Push Start	RWD Push Start
Paddle Shift	r asii s tai t	. ası. Start	. asii start	•	•	•
Suspension						
Front	Double Wishbone					
Rear	Multi-link - Fourlink					
Wheels and Tyres						
Tyre Size	265 / 60R18 Alloy					
Spare Wheel Body and Styling	Full Alloy					
Front Bumper	Colour Coded					
Rear Bumper	Colour Coded					
Door Outside Handles	Chrome - Smart Entry					
Front Grille	Black	Black	Black	Black	Black	Black
Headlights	LED	LED	LED	LED	LED	LED
Daytime Running Lights (DRL) Front Fog Lamp (LED)	•	•	•	•	•	•
Headlamp Levelling	•		•		•	•
Light Control System (Auto with Follow-Me-Home)			•	•	•	•
Rear Lights (LED)	•		•	•	•	•
Rear Fog Lamp				•	•	•
Side Mirrors	Colour Coded / Power / Retractable / With Indicator	Colour Coded / Power / Retractable / Welcome Lights / With Indicator / Blind Spot Monitor (BSM)				
Sequential Turn Signal				•	•	•
Luggage Rear Door Front Spoiler	•	•	•	Power	Power	Power
Rear Spoiler	•		•		•	•
Side Step	•	•	•	•	•	•
Interior, Comfort and Conve	nience					
4WD Indicator			•		•	
4WD Selector Seat Trim	Partial Leather	Partial Leather	Switch Partial Leather	Partial Leather	Switch Partial Leather	Partial Leather
Shift Lever & Knob	Urethane	Urethane	Urethane	Leather	Leather	Leather
Front Seat Adjustment &	•	•	•	Driver & Passenger -	Driver & Passenger -	Driver & Passenger -
Reclining				Power Driver & Passenger -	Power Driver & Passenger -	Power Driver & Passenger -
Front Seat Vertical Adjuster Seat Heater	•	•	•	Power	Power	Power Driver & Passenger
2nd Row Seats	60:40	60:40	60:40	60:40	60:40	Only 60:40
3rd Row Seats	Fold-Up	Fold-Up	Fold-Up	Fold-Up	Fold-Up	Fold-Up
Rear View Mirror	Day & Night	Day & Night	Day & Night	Electrochromatic (EC)	Electrochromatic (EC)	Electrochromatic (EC)
Steering Wheel	4 Spoke / Urethane	4 Spoke / Urethane	4 Spoke / Urethane	4 Spoke / Leather & Wood	4 Spoke / Leather & Wood	4 Spoke / Leather & Wood
Power Steering	Hydraulic / Variable Flow Control					
Cruise Control	•	•	•	•	•	Adaptive - High Speed
Air Conditioner	•	•	•	Auto / Dual-zone	Auto / Dual-zone	Auto / Dual-zone Display Audio /
Reverse Camera	Display Audio	Panoramic View Monitor				
Multi-Information Display (MID)	Standard - TFT					
Audio	Display Audio / JBL					
Android Auto & Apple CarPlay	•	•	•	•	•	•
Bluetooth	•	•	•	•	•	•
USB Speakers	6	6	6	6	6	11 (JBL)
Power Socket	Front - 12V / Rear - 12V / Boot - 12V	Front - 12V / Rear - 12V / Boot - 12V	Front - 12V / Rear - 12V / Boot - 12V	Front - 12V / Boot - 12V	Front - 12V / Boot - 12V	Front - 12V / Boot - 12V / Rear - 220V / Rear USB charging x2
Toyota Connect Enabled	•	•	•	•	•	•
J						

	2.8 GD-6 4X4 VX AT	2.8 RB AT 48V	2.8 4X4 AT 48V	2.8 RB VX AT 48V	2.8 4x4 VX AT 48V	2.8 4x4 GR-S AT
Engine and Drivetrain						
Maximum Power (kW @ r/min)	150 @ 3000-3400	150 @ 3000 - 3400	150 @ 3000 - 3400	150 @ 3000 - 3400	150 @ 3000 - 3400	165 @ 3000
Maximum Torque (Nm @ r/min)	500 @ 1600-2800	500 @ 1600-2800	500 @ 1600-2800	500 @ 1600-2800	500 @ 1600-2800	550 @ 1600 - 2800
Differential Lock	•	•	•	•	•	•
Bore x Stroke (mm)	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6
Fuel System	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Fuel Consumption (Combined Cycle) (l/100km)	7.9	7.6	7.6	7.6	7.6	8.4
CO2 Emission (g/km)	209	200	200	200	200	221
Transmission						
Transmission	6-Speed AT	6-Speed AT	6-Speed AT	6-Speed AT	6-Speed AT	6-Speed AT
Driven Wheels	4WD / Part-Time	RWD	4WD / Part-Time	RWD	4WD / Part-Time	4WD / Part-Time
Starting System	Push Start			Push Start + Stop Start	· · · · · · · · · · · · · · · · · · ·	GR-S Push Start
Paddle Shift	•	•	•	•	•	•
Suspension						
Front	Double Wishbone Multi-link -	Double Wishbone Multi-link -	Double Wishbone Multi-link -	Double Wishbone Multi-link -	Double Wishbone Multi-link -	Double Wishbone Multi-link -
Rear	Fourlink	Fourlink	Fourlink	Fourlink	Fourlink	Fourlink
Wheels and Tyres						
Tyre Size	265 / 60R18 Alloy	265 / 60R18 Alloy	265 / 60R18 Alloy	265 / 60R18 Alloy	265 / 60R18 Alloy	265-60R18 Alloy GR-S
Spare Wheel	Full Alloy	Full Alloy	Full Alloy	Full Alloy	Full Alloy	Full-Alloy GR-S
Body and Styling	Colour	Colour	Colourical	Colour	Colour	CD CC-1
Front Bumper Rear Bumper	Colour Coded Colour Coded	Colour Coded Colour Coded	Colour Coded Colour Coded	Colour Coded Colour Coded	Colour Coded Colour Coded	GR-S Colour GR-S Painted
Door Outside Handles	Chrome - Smart Entry	Chrome - Smart Entry	Chrome - Smart Entry	Chrome - Smart Entry		Colour Coded-
	3	3		,	Chrome - Smart Entry	Smart Entry
Front Grille	Black LED	Black LED	Black	Black	Black	GR-S Black
Headlights Daytime Running Lights (DRL)	. LED	LED .	LED .	LED .	LED .	LED .
Front Fog Lamp (LED)	•	•	•	•	•	•
Headlamp Levelling	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
Light Control System (Auto with Follow-Me-Home)	•	•	•	•	•	•
Rear Lights (LED)	•	•	•	•	•	•
Rear Fog Lamp	•	•	•	•	•	•
Side Mirrors	Colour Coded / Power / Retractable / Welcome Lights / With Indicator / Blind Spot Monitor (BSM)	Colour Coded / Power / Retractable / With Indicator	Colour Coded / Power / Retractable / With Indicator		Colour Coded / Power / Retractable / Welcome Lights / With Indicator / Blind Spot Monitor (BSM)	
Sequential Turn Signal	•	•	•	•	•	•
Luggage Rear Door	Power	Power	Power	Power	Power	Power
Front Spoiler Rear Spoiler	•	•	•	•	•	•
Side Step	•	•	•	•	•	•
Interior, Comfort and Conve	nience					
4WD Indicator	•		•		•	•
4WD Selector	Switch		Switch		Switch	Switch
Seat Trim	Partial Leather	Partial Leather	Partial Leather	Partial Leather	Partial Leather	Leather + Suede
Shift Lever & Knob	Leather	Leather	Leather	Leather	Leather	GR-S Leather
Front Seat Adjustment & Reclining	Driver & Passenger - Power	Driver & Passenger - Power	Driver & Passenger - Power	Driver & Passenger - Power	Driver & Passenger - Power	Driver & Passenger - Power
Front Seat Vertical Adjuster	Driver & Passenger - Power	Driver & Passenger - Power	Driver & Passenger - Power	Driver & Passenger - Power	Driver & Passenger - Power	Driver & Passenger - Power
Seat Heater	Driver & Passenger	i owei	I OWEI	Driver & Passenger	Driver & Passenger	1 0 00001
2nd Row Seats	Only 60:40	60:40	60:40	Only 60:40	Only 60:40	60:40
3rd Row Seats	Fold-Up	Fold-Up	Fold-Up	Fold-Up	Fold-Up	Fold-Up
Rear View Mirror	Electrochromatic (EC)	Electrochromatic (EC)	Electrochromatic (EC)	Electrochromatic (EC)	Electrochromatic (EC)	Electrochromatic (EC)
	4 Spoke / Leather &	4 Spoke / Leather &	4 Spoke / Leather &	4 Spoke / Leather &	4 Spoke / Leather &	4 Spoke /
Steering Wheel	Wood	Wood	Wood Hydraulic / Variable	Wood Hydraulic / Variable	Wood	GR-S Leather
Power Steering	Hydraulic / Variable Flow Control	Hydraulic / Variable Flow Control	Flow Control	Flow Control	Hydraulic / Variable Flow Control	Hydraulic / Variable Flow Control
Cruise Control	Adaptive - High Speed	•	•	Adaptive - High Speed	Adaptive - High Speed	Adaptive - High Speed
Air Conditioner	Auto / Dual-zone	Auto / Dual-zone	Auto / Dual-zone	Auto / Dual-zone	Auto / Dual-zone	Auto / Dual-zone
Reverse Camera	Display Audio / Panoramic View Monitor	Display Audio	Display Audio	Display Audio / Panoramic View Monitor	Display Audio / Panoramic View Monitor	Display Audio / Panoramic View Monitor
Multi-Information Display (MID)	Standard - TFT	Standard - TFT	Standard - TFT	Standard - TFT	Standard - TFT	Standard - TFT
Audio	Display Audio / JBL	Display Audio	Display Audio	Display Audio / JBL	Display Audio / JBL	JBL / Display Audio, DAB
Android Auto & Apple CarPlay	•	•	•	•	•	•
Bluetooth	•	•	•	•	•	•
USB	44 (101)	•	•	44 (101)	44 (101)	44 (151)
Speakers Power Socket		/ Rear - 220V / Rear USB	6 Boot - 12V / Rear - 220V / Rear USB charging x2	11 (JBL) Front - 12V / Boot - 12V / Rear - 220V / Rear USB	11 (JBL) Boot - 12V / Rear - 220V / Rear USB charging x2	11 (JBL) Front - 12V / Boot - 12V / Rear - 220V / Rear USB
Toyota Connect Enabled	charging x2	charging x2	, Job charging X2	charging x2	, Acar obbendiging X2	charging x2
royota Connect Enabled	·	•	•	•	•	•

SPECIFICATIONS

	2.4 GD-6 RB MT	2.4 GD-6 RB AT	2.4 GD-6 4X4 AT	2.8 GD-6 RB AT	2.8 GD-6 4X4 AT	2.8 GD-6 RB VX AT
Safety and Security						
Anti-Theft System	Immobiliser / Alarm / Intrusion Sensor / Glass Break Sensor	Immobiliser / Alarm / Intrusion Sensor / Glass Break Sensor	Immobiliser / Alarm / Intrusion Sensor / Glass Break Sensor	Horn / Immobiliser / Alarm / Intrusion Sensor / Glass Break Sensor	Horn / Immobiliser / Alarm / Intrusion Sensor / Glass Break Sensor	Horn / Immobiliser / Alarm / Intrusion Sensor / Glass Break Sensor
Auto Door Lock (Speed Dependent)	•	•	•	•	•	•
Child Restraint System (ISOFIX)	2	2	2	2	2	2
Driver, Front Passenger, Side, Driver- Knee & Curtain Airbags	•	•		•		•
Wireless Door Lock Pre-Crash System (Brake Synchronised)	Smart Entry	Smart Entry	Smart Entry	Smart Entry	Smart Entry	Smart Entry •
Driver Support Systems						
Anti-lock Braking System (ABS)	•	•	•	•	•	•
Brake-Assist (BA)	•	•	•	•	•	•
Electronic Brake-Force Distribution (EBD)	•	•	•	•	•	•
Vehicle-Stability Control (VSC)	•	•		•	•	•
Hill-Assist Control (HAC)	•	•	•	•		•
Downhill-Assist Control (DAC)					•	
Trailer Sway Control (TSC)	•	•	•	•	•	•
Traction Control (TRC)	•	•	•	•	Active Traction Control (ATRC)	•
Blind Spot Monitor (BSM)						With Rear Cross Traffic Alert (RCTA)
Panoramic View Monitor (PVM)						•
Park Distance Control (PDC)	Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear
Lane Keeping System						Lane Departure Alert
Limited Slip Differential (LSD)	•	•	•	•	•	•
Drive Mode Select	Eco / Sport	Eco / Sport	Eco / Sport	Eco / Sport	Eco / Sport	Eco / Sport
Service and Warranty						
Service Intervals (km)	12 Months / 10 000 km	12 Months / 10 000 km	12 Months / 10 000 km			
Service Plan	9 Services / 90 000 km	9 Services / 90 000 km	9 Services / 90 000 km			
Warranty	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km			
Engine and Capacities						
Height (mm)	1835	1835	1835	1835	1835	1835
Length (mm)	4795	4795	4795	4795	4795	4795
Width (mm)	1855	1855	1855	1855	1855	1855
Wheelbase (mm)	2745	2745	2745	2745	2745	2745
Fuel Tank Size (ℓ)	80	80	80	80	80	80
Front Tread (mm)	1545	1545	1545	1545	1545	1545
Rear Tread (mm)	1555	1555	1555	1555	1555	1555
Gross Combination Mass (GCM)	5105	5105	5750	5110	5750	5110
Gross Vehicle Mass (GVM)	2605	2605	2705	2610	2735	2610
Turning Circle (Tyres, m)	5.8	5.8	5.8	5.8	5.8	5.8
Towing Capacity - Unbraked (kg)	750	750	750	750	750	750
Towing Capacity - Braked (kg)	2500	2500	3300	2500	3300	2500

COLOUR SELECTOR



040 - Glacier White



1G3 - Graphite Grey Metallic



089 - Platinum White Pearl



6X1 - Oxide Bronze



1D6 - Chromium Silver



218 - Attitude Black

GR-S



089 - Platinum White Pearl



218 - Attitude Black

	2.8 GD-6 4X4 VX AT	2.8 RB AT 48V	2.8 4X4 AT 48V	2.8 RB VX AT 48V	2.8 4x4 VX AT 48V	2.8 4x4 GR-S AT
Safety and Security						
Anti-Theft System	Horn / Immobiliser / Alarm / Intrusion Sensor / Glass Break Sensor	Immobiliser / Alarm / Intrusion Sensor / Glass Break Sensor	Immobiliser / Alarm / Intrusion Sensor / Glass Break Sensor	Immobiliser / Alarm / Intrusion Sensor / Glass Break Sensor	Immobiliser / Alarm / Intrusion Sensor / Glass Break Sensor	Horn / Alarm / Immobiliser / Intrusion Sensor / Glass Break Sensor
Auto Door Lock (Speed Dependent)	•	•	•	•		•
Child Restraint System (ISOFIX)	2	2	2	2	2	2
Driver, Front Passenger, Side, Driver- Knee & Curtain Airbags				•	•	
Wireless Door Lock	Smart Entry	Smart Entry	Smart Entry	Smart Entry	Smart Entry	Smart Entry
Pre-Crash System (Brake Synchronised)	•			•	•	•
Driver Support Systems						
Anti-lock Braking System (ABS)	•	•	•	•	•	•
Brake-Assist (BA)	•	•	•	•	•	•
Electronic Brake-Force Distribution (EBD)	•	•	•	•	•	•
Vehicle-Stability Control (VSC)	•	•	•	•	•	
Hill-Assist Control (HAC)	•	•	•	•	•	•
Downhill-Assist Control (DAC)	•		•		•	•
Trailer Sway Control (TSC)	•	•	•	•	•	•
Traction Control (TRC)	Active Traction Control (ATRC)	•	Active Traction Control (ATRC)	•	Active Traction Control (ATRC)	Active Traction Control (ATRC)
Blind Spot Monitor (BSM)	With Rear Cross Traffic Alert (RCTA)			With Rear Cross Traffic Alert (RCTA)	With Rear Cross Traffic Alert (RCTA)	With Rear Cross Traffic Alert (RCTA)
Panoramic View Monitor (PVM)	•			•	•	•
Park Distance Control (PDC)	Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear
Lane Keeping System	Lane Departure Alert			Lane Departure Alert	Lane Departure Alert	Lane Departure Alert
Limited Slip Differential (LSD)	•	•		•		•
Drive Mode Select	Eco / Sport	Eco / Sport	Eco / Sport	Eco / Sport	Eco / Sport	Eco / Sport
Service and Warranty			·			
Service Intervals (km)	12 Months / 10 000 km	12 Months / 10 000 km	12 Months / 10 000 km	12 Months / 10 000 km	12 Months / 10 000 km	12 Months / 10 000 km
Service Plan	9 Services / 90 000 km	9 Services / 90 000 km	9 Services / 90 000 km	9 Services / 90 000 km	9 Services / 90 000 km	9 Services / 90 000 km
Warranty	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km	3 Years / 100 000 km
Engine and Capacities						
Height (mm)	1835	1835	1835	1835	1835	1835
Length (mm)	4795	4795	4795	4795	4795	4795
Width (mm)	1855	1855	1855	1855	1855	1855
Wheelbase (mm)	2745	2745	2745	2745	2745	2745
Fuel Tank Size (ℓ)	80	80	80	80	80	80
Front Tread (mm)	1545	1545	1545	1545	1545	1545
Rear Tread (mm)	1555	1555	1555	1555	1555	1555
Gross Combination Mass (GCM)	5750	5110	5750	5110	5750	5750
	2735					2735
Gross Vehicle Mass (GVM)		2610	2735	2610	2735	
Turning Circle (Tyres, m)	5.8	5.8	5.8	5.8	5.8	5.8
Towing Capacity - Unbraked (kg)	750	750	750	750	750	750
Towing Capacity - Braked (kg)	3300	2500	3300	2500	3300	3300



TOYOTA FINANCIAL SERVICES

There is no 'one-size-fits-all' when it comes to vehicle finance and insurance, there is only you. With fast, flexible and convenient services we will structure the perfect Fortuner deal for you. At Toyota Financial Services, we believe that purchasing your Toyota should be as enjoyable as driving it. Toyota Financial Services is the fast, flexible and convenient means of financing your Fortuner. We have created a range of financial products that suit both private and business customers, easily accessible through your local Toyota dealer. We take the hassle out of arranging finance. Toyota Financial Services (South Africa) Ltd is an authorised Financial Services (FSP No. 7454) and Registered Credit Provider (NCRCP62). For comprehensive information about products offered by Toyota Financial Services, visit www.toyota.co.za/payment-options/toyota-financial-services

DISCLAIMER:

The information contained in this leaflet is provided as is and without any warranties of any kind, whether expressed or implied, including but not limited to, implied warranties of satisfactory quality, fitness for a particular purpose and/or correctness. The contents of this leaflet are for general information purposes only and do not constitute advice. Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Limited does not represent or warrant that the information and/or specifications contained in this leaflet are accurate, complete or current and specifically stipulates that certain vehicle details and specifications contained in this leaflet may differ in available models. Therefore, neither Toyota Motor Corporation of Japan nor Toyota South Africa Motors (Pty) Limited make any warranties or representations regarding the use of the content, details, specifications, or information contained in this leaflet in terms of their correctness, accuracy, adequacy, usefulness, timeliness, reliability or otherwise, in each case to the fullest extent permitted by law. Please note that claiming of input VAT needs to be verified by customers prior to vehicle purchase as these rulings are subject to SARS interpretation. Toyota South Africa Motors' rights remain reserved.

