

TOYOTA HILUX SINGLE CAB



LEGENDARY
TOUGHNESS



Issued on: 2026/09/03




SPECIFICATIONS

2.8 GD-6 4X4 SRX 6AT

2.8 GD-6 RB SRX 6AT

Engine and Drivetrain		
A/T Oil Temp Warning	•	•
Differential Lock	Rear	Rear
Engine capacity (litre)	2.8	2.8
Fuel System	Diesel	Diesel
Maximum Power (kW @ r/min)	150 @ 3000-3400	150 @ 3000-3400
Maximum Torque (Nm @ r/min)	500 @ 1600-2800	500 @ 1600-2800
Number of Cylinders and Arrangement	Inline-4	Inline-4
Stabilizer	Front Only	Front Only
Transmission		
Transmission	Automatic-6-speed	Automatic-6-speed
Driven Wheels	4WD Part-Time	RWD
Starting System	Rotary (Mechanical)	Rotary (Mechanical)
Suspension		
Front	Independent Front Suspension (Coil)	Independent Front Suspension (Coil)
Rear	Leaf-Spring---Rigid-Axle	Leaf-Spring---Rigid-Axle
Wheels and Tyres		
Spare Wheel	Full Steel	Full Steel
Tyre Size	F:265-65R17 Steel- R:265-65R17 Steel	F:265-65R17 Steel- R:265-65R17 Steel
Body and Styling		
Antenna	Standard Shark Fin	Standard Shark Fin
Back Glass	Green Slide	Green Slide
Daytime Running Light	•	•
Door Outside Handles	Black	Black
Front Bumper	Colour Coded	Colour Coded
Front Fog Lamps	Standard LED	Standard LED
Front Grille	Painted	Painted
Front side Glass	Green	Green
Headlamp Levelling	Standard Manual	Standard Manual
Headlights	LED - (Base)	LED - (Base)
High-Mounted Brake Light	Standard LED	Standard LED
Light Control System	•	•
Rear Bumper	Black	Black
Rear Fog Lamp	•	•
Rear Lights	Bulb Type	Bulb Type
Side mirrors	Black, Power, With Indicator	Black, Power, With Indicator



SPECIFICATIONS

2.8 GD-6 4X4 SRX 6AT


2.8 GD-6 RB SRX 6AT

Body and Styling

Windshield Glass	Laminated, Green	Laminated, Green
Side Step	Standard Black	Standard Black

Interior, Comfort and Convenience

4WD Indicator	•	
4WD Selector	Standard Switch	
AT Shift Lock	•	•
Centre Console	Standard Box	Standard Box
Cupholders	•	•
Door Inside Handles	Black	Black
Door Pockets	Standard Front	Standard Front
Economy Meter	Standard Eco Bar	Standard Eco Bar
Floor Carpet Trim	Carpet	Carpet
Front Headrest	Integrated	Integrated
Front Personal Lamp	•	•
Glove Box	Lockable	Lockable
Key Reminder Warning	•	•
Rear View Mirror	Day & Night	Day & Night
Seat Trim	Fabric	Fabric
Shift Lever & Knob	Vinyl	Vinyl
Speedometer	Analog	Analog
Steering Wheel	3 Spoke Urethane	3 Spoke Urethane
Airconditioner	Manual	Manual
Audio System	Toyota Display Audio, DAB, 8-inch	Toyota Display Audio, DAB, 8-inch
Bluetooth	•	•
Electric Windows	Front Auto Up Down + Jam Protection	Front Auto Up Down + Jam Protection
Front Seat Adjustment	Driver & Passenger Manual	Driver & Passenger Manual
Front Seat Reclining	Driver & Passenger Manual	Driver & Passenger Manual
Power Socket	Front - 12V	Front - 12V
Power Steering	Hydraulic	Hydraulic
Reverse Camera	BGM	BGM
Speakers	Standard 2	Standard 2
Steering Column Adjustments	Manual Tilt & Telescopic	Manual Tilt & Telescopic



SPECIFICATIONS

2.8 GD-6 4X4 SRX 6AT

2.8 GD-6 RB SRX 6AT

Interior, Comfort and Convenience

Steering Switches	Standard Audio, Telephone, Voice Command	Standard Audio, Telephone, Voice Command
Sun Visor	Standard Ticket Holder Driver	Standard Ticket Holder Driver
USB Type C	Standard 2PCs	Standard 2PCs
Toyota Remote	Standard	Standard

Safety and Security

Airbag On-Off Switch	•	•
Airbags	Side, Driver, Passenger, Driver Knee, Front Curtain	Side, Driver, Passenger, Driver Knee, Front Curtain
Anti-Theft System	Siren Alarm + Immobiliser / Intrusion Sensor / Gearlock	Siren Alarm + Immobiliser / Intrusion Sensor / Gearlock
Emergency Brake Signal	Standard Hazard lamps	Standard Hazard lamps
Front Brake	Ventilated Disc	Ventilated Disc
Front Seat Belts	ELR, Pretensioner, Force Limiter	ELR, Pretensioner, Force Limiter
Occupant Detection	D + P seat sensor	D + P seat sensor
Parking Brake	Lever	Lever
Power Door Lock	Standard, Auto Door Lock	Standard, Auto Door Lock
Rear Brake	Drum	Drum
Seat Belt Warning	Front	Front
Wireless Door Lock	Standard Remote + Panic + Buzzer	Standard Remote + Panic + Buzzer

Driver Support Systems


Anti-Lock Braking System (ABS)	•	•
Brake Assist (BA)	•	•
Electronic Brake Force Distribution (EBD)	•	•
Limited Slip Differential	•	•
Vehicle Stability Control (VSC)	•	•

Service and Warranty

Service Interval	12 months / 10, 000km	12 months / 10, 000km
Service Plan	9 Services / 90, 000km	9 Services / 90, 000km
Warranty	3 years / 100, 000km	3 years / 100, 000km

Dimensions and Capacities

Approach Angle (°)	29.0	29.0
Departure Angle (°)	25.0	25.0
Front Overhang (mm)	990	990
Front Tread (mm)	1540	1540
Fuel Tank Size (L)	80	80
Gross Combination Mass (GCM)	5900	5500
Gross Vehicle Mass (GVM)	2900	2700




SPECIFICATIONS


2.8 GD-6 4X4 SRX 6AT

2.8 GD-6 RB SRX 6AT

Dimensions and Capacities		
Ground Clearance (mm)	312	312
Height (mm)	1855	1855
Kerb Weight (kg)	1980	1855
Length (mm)	5320	5320
Rear Overhang (mm)	1245	1245
Rear Tread (mm)	1550	1550
Roof Loading Capacity (kg)	75	75
Towing Capacity - Braked (kg)	3500	2800
Towing Capacity - Unbraked (kg)	750	750
Turning circle (tyres, m)	6.3	6.3
Wheelbase (mm)	3085	3085
Width (mm)	1855	1855
Top Speed (km/h)	176	176

LINE DRAWING





SPECIFICATIONS

EXTERIOR COLOURS

FOR ILLUSTRATIVE PURPOSES ONLY.

MONOTONE



040 - Glacier White



1D6 - Chromium Silver



1M2 - Ash Grey




218 - Attitude Black



3T6 - Arizona Red



6X1 - Oxide Bronze



Disclaimer:

The information contained within or made available on any Toyota platform or note including but not limited to, this website/brochure/specification sheet, is provided for information purposes only. While we make reasonable efforts to update the information on our platform/s, Toyota Motor Corporation of Japan, and Toyota South Africa Motors (Pty) Ltd makes no representations, warranties, or guarantees, whether express or implied, that the content is accurate, complete or up to date, and all information contained herein is subject to change without notice.

Vehicle specifications may vary depending on the model, trim level, and market. Colours depicted on print and web material may not match the actual vehicle colour. Fuel consumption figures are estimates based on standardised testing conditions and actual results may vary due to (but not limited to) driving style, vehicle loading, tyres, wind, traffic, and accessories. All dimensions, capacities, and performance figures are approximate. Some features/options may be optional or only available on certain models/trim levels. Images and illustrations are for illustrative purposes only and may not reflect the actual vehicle.

Your use of, or reliance on, any information or contents herein is entirely at your own risk. Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Ltd (including its owners, agents, consultants, employees, and any affiliated person(s)) are not responsible for any loss or damages related to your use of, reliance on, or understanding of any information or contents on this or any other Toyota platform. This includes, without limitation, any direct, indirect, special, incidental, consequential, or punitive damages in terms of any contract, delict (breach of a duty of care) or law.

Furthermore, Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Ltd do not guarantee the uninterrupted or error-free operation of any platform or the availability of content, and are not liable for any interruptions, errors, or damages caused by any technical issues or limitations of these platforms, including but not limited to, server downtime, software malfunctions, or internet connectivity issues.

